




FLOWER REFRIGERATOR











Exposition


- Bottom of the storage chamber made of "linen" stainless steel
- Glazed sliding door with blockade for loading, self-closing
- Neutral white LED lighting ²
- Flower stools made of "linen" stainless steel (2 pcs.)
- Crossbar to hang compositions of cut flowers
- Panoramic front glass pane
- Device glazed from four sides
- All panes made of combined, double tempered glass (low-E)

Housing

- Housing made of grinded stainless steel
- Adjustable legs made of stainless steel ³
- Decorative flower pattern on the housing 4

Refrigerating unit


- 3rd climatic class
- Plug-in unit
- Gravitational cooling (static)
- Electronic temperature controller with display (setting range: 0°C ÷ +25°C)
- Automatic condensate evaporation system











Parameters Values

width 120,5 cm / 140,5 cm / 160,5 cm / 180,5 cm / 200,5 cm / 220,5 cm

depth 74,5 cm

height 199,5 cm

width inside 110 cm / 130 cm / 150 cm / 170 cm / 190 cm / 210 cm

depth inside 62 cm

height inside 150 cm

rated voltage 230 V / 50 Hz

temperatures range $+1^{\circ}\text{C} \div +10^{\circ}\text{C}$ (3 kl.)

refrigerant (HC) R-290

compressor Embraco / Tecumseh

rated power 550 ÷ 890 W (3rd climatic class)


defrosting automatic

lighting LED diodes – neutral white



Additional equipment





- Cataphoretic coating of the evaporator
- Device without aggregate



Lock for door

Accessories




• Pollen filter (reusable)

• USB temperature recorder (wireless)

• Adjustable hanged shelf











Accessories











Spacing of adjustable hanged shelves in flower refrigerator; it is possible to mount:

- 4 pcs. of shelves with maximum load of each shelf up 15 kg at evenly distributed goods on whole surface of the shelf
- or 3 pcs. of shelves with maximum load of each shelf up 20 kg at evenly distributed goods on whole surface of the shelf







Case studies







Case studies







Case studies













"RAPA" S. Międlar, W. i I. Szymańscy sp. j. 9 Ceramiczna Street, 20-149 Lublin, POLAND

> TIN PL 7121931385 BDO No. 000009031 KRS 0000005827