



Temperature range: **+2°C/+10°C**

Refrigerating unit: **Internal**

Refrigerant/Cooling factor: **R404a / R507 / R448 / R449**

Name	BALI 1.0 DU	BALI 1.3 DU	BALI 1.6 DU	BALI 1.9 DU	BALI 2.5 DU
Code	BL100DU	BL101DU	BL102DU	BL103DU	BL104DU
Length [mm]	920	1230	1530	1840	2460
Height [mm]	2020+/-10	2020+/-10	2020+/-10	2020+/-10	2020+/-10
Depth [mm]	730	730	730	730	730
Capacity [dm <sup>3</sup> ]	630	840	1040	1250	1680
Display area [m <sup>2</sup> ]	1,9	2,5	3,1	3,7	5
Total Display Area (TDA) [m <sup>2</sup> ]-	-	-	-	-	-
Temp. range [°C]	(+1 ± -10°C)	(+1 ± -10°C)	(+1 ± -10°C)	(+1 ± -10°C)	(+1 ± -10°C)
Temp. class	-	-	-	-	-
Climate class	-	-	-	-	-
Energy efficiency class	-	-	-	-	-
Refrigerant	R404a / R507 / R448 / R449	R404a / R507 / R448 / R449	R404a / R507 / R448 / R449	R404a / R507 / R448 / R449	R404a / R507 / R448 / R449
Rated voltage [V]	230/50Hz	230/50Hz	230/50Hz	230/50Hz	230/50Hz
Rated power [W]	752,8	892	1180,8	1407,6	1812

## Standard equipment

internal cooling aggregate

dynamic cooling (ventilated)

ecological polyurethane foam insulation

base and front panel made of colored coated steel – different colors available (Igloo pattern book)

top panel illuminated with LED light – different plexiglass colors available (IGLOO pattern book)

internal top illumination – LED light (white color)

hinged doors with combined glass

interior and exposition shelves made of white coated steel

exposition shelves with height and angle adjustment

price stripes – different colors available (IGLOO pattern book)

bumper – different colors available (IGLOO pattern book)

insulated plastic side walls + glass side panels – different colors available (IGLOO pattern book)

automatic defrost

electronic temperature controller with digital display (IGLOO)

condenser impurity or fan operation failure alarm

---

## Options

insulated side panels made of white coated steel - thickness: 40 mm

insulated side panels made of stainless steel - thickness : 40 mm

steel side panels color - different colors available (IGLOO pattern book)

side mirrors

top full panel made of painted steel - possibility of choosing the color (IGLOO pattern book)

top full panel made of stainless steel

top wooden panel - different colors available (IGLOO pattern book)

front panel color - different colors available (IGLOO pattern book)

front panel color - different colors available (IGLOO pattern book)

base color - different colors available (IGLOO pattern book)

base made of stainless steel

wooden bumper - different colors available (IGLOO pattern book)

device interior and exposition shelves made of stainless steel

device interior and exposition shelves made of acid - resistant stainless steel

strengthening of full shelves

good securing fence

internal, upper lighting - LED lamp (color of choice: white, confectionery or meaty "deep pink")

top mirrors

additional chrome reticulated strengthened shelf + set of rails

fixed partition made of PETG (plexiglass)

automatic defrost

automatic condenser vaporization

electronic temperature recorder + software

temperature recorder wire (RS232 - USB)

---

BALI DU

