





















—  
REFRIGERATION  
DEVICES  
MANUFACTURER

# PRICE LIST

NET / EUR  
2022v2.04

p. 3-10  Refrigerated counters	p. 11  Heated serve over counters	p. 12-13  Additional equipment and accessories for refrigerated counters and heated serve over counters	p. 14  Neutral cash counters	p. 15  Refrigerated island	p. 16-17  Ecoline series upright refrigerated cabinets
p. 18-20  Upright refrigerated cabinets standard	p. 21  Additional equipment and accessories for upright refrigerated cabinets	p. 22  Upright freezer Additional equipment and accessories	p. 23  Multideck refrigerated displays	p. 24  Additional equipment and accessories for multideck refrigerated displays	p. 25-26  Flowers refrigerators Additional equipment and accessories
p. 27  Refrigerated flower counter	p. 28-29  Confectionery display cases Neutral cash counters	p. 30  Additional equipment and accessories for confectionery display cases	p. 31-33  Shop shelving Bakery shelving Additional equipment	p. 34  Vegetable shelving Additional equipment	p. 35  Stainless steel tables Additional equipment

RAPA company reserves the right to change the price list.  
All prices are net prices to which VAT should be added in accordance with applicable law.  
The price list is valid since 13.06.2022

## Devices codes meaning:

### REFRIGERATED COUNTERS

**L** – refrigerated counters  
**A, A1, A2, A3** – models with straight pane  
**B, B1, B2, B3** – models with curved pane  
**C, D, D3** – models with curved pane and highlighted bottom plafond  
**E, E Max, E1, E1 Max** – models with curved pane and decorated sides  
**F, F Max, F/NW, F/NZ** – models with straight pane and decorated sides  
**S, Si, X, Xi, X/NW, Xi/NW** – models with curved or straight pane and painted front or furniture board  
**NW** – internal corner  
**NZ** – external corner  
**Max** – storage allows to store 6 pcs. of Euro 2 containers  
**SiX** – devices with curved or straight, vertical glass pane with exchangeable front made of furniture board or painted steel and enlarged storage box (from 4 to 8 EURO 2 containers), sides made of ABS in inox frame design

### NEUTRAL CASH COUNTERS FOR REFRIGERATED COUNTERS

**LK** – neutral cash counter  
**NW** – internal corner  
**NZ** – external corner

### REFRIGERATED ISLANDS

**L** – refrigerated counters  
**WB1** – island shape

### MULTIDECK REFRIGERATED DISPLAYS

**RCh** – multideck refrigerated display  
**O** – open  
**SR** – glazed, sliding door  
**POS** – impulse sales models  
**A** – model

### UPRIGHT REFRIGERATED CABINETS

**SCh** – upright refrigerated cabinet  
**Z** – storage, hinged door  
**ZR** – storage, sliding door  
**S** – single-sided glass, hinged door  
**SR** – single-sided glass, sliding door  
**2S** – double-sided glass, hinged door on the service side, hinged door with blockade on the customer side  
**2S/1D** – double-sided, hinged door on the service side, permanently fixed pane on the customer side  
**2SR** – double-sided, sliding door on the service side, hinged door with blockade on the customer side  
**2SR/1D** – double-sided, sliding door on the service side, permanently fixed pane on the customer side  
**2S2R** – double-sided, sliding door on both sides  
**2D** – single-chamber, divided two-doors  
**3D** – double-chamber, divided three-doors  
**NW** – interior made of stainless steel  
**NZ** – housing made of stainless steel  
**2N** – interior and housing made of stainless steel  
**W** – fan assisted cooling  
**WH** – increased capacity, higher with a fan  
**Cargo** – a series of specialized, transport cabinets  
**21-E2** – cabinet for 21 containers EURO 2  
**ecoline** – upright refrigerated cabinet series with painted housings in colour chosen from the RAPA colour chart  
**AG** – top mounted unit  
**AD** – bottom mounted unit  
**3 kl.** – 3rd climatic class  
**4 kl.** – 4th climatic class

### UPRIGHT FREEZER

**FAT** – upright cabinet with increased body insulation  
**M** – upright freezer

### STAINLESS STEEL TABLES

**SG** – gastronomy table  
**P** – no door  
**Z** – hinged door  
**ZR** – sliding door

### FLOWER REFRIGERATOR

**SCh** – upright refrigerated cabinet  
**AK** – flower refrigerator

### REFRIGERATED FLOWER COUNTER

**L** – refrigerated counter  
**BK** – model of flower refrigerated counter

### CONFECTIONERY DISPLAY CASES

**C** – confectionery display case  
**A** – curved front pane, tilted with blockade  
**B** – curved front pane, tilted with blockade  
**N** – neutral (non-refrigerated)  
**EXCELLENTE C** – line of devices with straight vertical front pane, tilted with gas springs system  
**C-C** – refrigerated with three shelves  
**C-C L** – refrigerated with two shelves  
**C-C LN** – neutral (non-refrigerated) with sliding table top on the operating side

### CASH COUNTERS FOR CONFECTIONERY DISPLAY CASES

**LK** – cash counter  
**CA** – confectionery straight  
**CB** – confectionery curved  
**CC** – confectionery line EXCELLENTE C

### VEGETABLE SHELVING

**RW** – vegetable shelving  
**A** – straight  
**B** – curved

### BAKERY AND SHOP SHELVING

**RP** – bakery shelving  
**A** – straight, painted fronts  
**B** – curved, painted fronts  
**A1** – straight, furniture board fronts  
**B1** – curved, furniture board fronts  
**C** – made of stainless steel

## REFRIGERATED COUNTERS line A

No.	length / depth [cm]	model			
		A	A1	A2	A3*
		price [EUR]			
1	122 / 82	1 325	1 406	1 469	-
2	122 / 90	1 365	1 451	1 513	-
3	122 / 107	1 394	1 483	1 545	1 586
4	137 / 82	1 345	1 428	1 489	-
5	137 / 90	1 401	1 489	1 549	-
6	137 / 107	1 439	1 527	1 589	1 630
7	152 / 82	1 394	1 478	1 542	-
8	152 / 90	1 464	1 552	1 618	-
9	152 / 107	1 500	1 586	1 651	1 688
10	179 / 82	1 525	1 625	1 693	-
11	179 / 90	1 580	1 677	1 747	-
12	179 / 107	1 643	1 745	1 818	1 852
13	201 / 82	1 596	1 698	1 770	-
14	201 / 90	1 634	1 735	1 806	-
15	201 / 107	1 684	1 789	1 863	1 898

\* - Refrigerated counters are 3 cm longer

### Standard equipment

1	Double electric socket from the service side on the right side of the device	•	•	•	•
2	All panes made of tempered glass	•	•	•	•
3	Non-threshold storage bottom made of stainless steel	•	•	•	•
4	Worktop made of grinded stainless steel	-	•	•	•
5	Sides made of HIPS in the colour of front finish	-	•	•	-
6	Housing painted in one of the colours chosen from the RAPA colour chart	-	-	•	•
7	Legs masking	-	-	•	•
8	Housing backlight with energy-saving, coloured LED diodes	-	-	•	•
9	Plain sides made of silver-metallic HIPS, filled with ecological polyurethane foam	-	-	-	•

3rd climatic class - correct operation of the device at the ambient temperature of +25°C and relative humidity 60%

## REFRIGERATED COUNTERS line B

No.	length / depth [cm]	model			
		B	B1	B2	B3*
		price [EUR]			
1	79 / 90	1 222	1 298	1 343	-
2	79 / 107	1 276	1 319	1 375	1 387
3	122 / 90	1 436	1 512	1 572	-
4	122 / 107	1 483	1 529	1 596	1 637
5	137 / 90	1 487	1 560	1 625	-
6	137 / 107	1 525	1 587	1 652	1 693
7	152 / 90	1 529	1 608	1 713	-
8	152 / 107	1 560	1 633	1 743	1 784
9	179 / 90	1 665	1 742	1 820	-
10	179 / 107	1 698	1 792	1 866	1 902
11	201 / 90	1 725	1 804	1 877	-
12	201 / 107	1 759	1 836	1 911	1 942

\* - Refrigerated counters are 3 cm longer

### Standard equipment

1	Double electric socket from the service side on the right side of the device	•	•	•	•
2	All panes made of tempered glass	•	•	•	•
3	Non-threshold storage bottom made of stainless steel	•	•	•	•
4	Worktop made of grinded stainless steel	-	•	•	•
5	Sides made of HIPS in the colour of front finish	-	•	•	-
6	Housing painted in one of the colours chosen from the RAPA colour chart	-	-	•	•
7	Legs masking	-	-	•	•
8	Housing backlight with energy-saving, coloured LED diodes	-	-	•	•
9	Plain sides made of silver-metallic HIPS, filled with ecological polyurethane foam	-	-	-	•

3rd climatic class - correct operation of the device at the ambient temperature of +25°C and relative humidity 60%

## REFRIGERATED COUNTERS line C/D

No.	length / depth [cm]	model		
		C	D	D3*
		price [EUR]		
1	79 / 90	1 325	1 346	-
2	79 / 107	1 345	1 383	1 448
3	122 / 90	1 545	1 566	-
4	122 / 107	1 560	1 612	1 681
5	137 / 90	1 567	1 610	-
6	137 / 107	1 613	1 666	1 739
7	152 / 90	1 665	1 695	-
8	152 / 107	1 714	1 755	1 825
9	179 / 90	1 769	1 823	-
10	179 / 107	1 840	1 916	1 983
11	201 / 90	1 852	1 931	-
12	201 / 107	1 942	2 022	2 090

\* - Refrigerated counters are 3 cm longer

### Standard equipment

1	Double electric socket from the service side on the right side of the device	●	●	●
2	All panes made of tempered glass	●	●	●
3	Non-threshold storage bottom made of stainless steel	●	●	●
4	Backlighted, coloured bottom plafond of the device	●	●	●
5	Worktop made of grinded stainless steel	-	●	●
6	Sides made of HIPS in the colour of front finish	-	●	-
7	Housing painted in one of the colours chosen from the RAPA colour chart	-	-	●
8	Legs masking	-	●	●
9	Housing backlight with energy-saving, coloured LED diodes	-	-	-
10	Plain sides made of silver-metallic HIPS, filled with ecological polyurethane foam	-	-	●

3rd climatic class - correct operation of the device at the ambient temperature of +25°C and relative humidity 60%

## REFRIGERATED COUNTERS AND MODULES DESIGNED TO BE JOINED IN SERIES LINES line E

No.	length / depth [cm]	model			
		E	MODULE E DESIGNED TO BE JOINED IN SERIES LINES	E Max	MODULE E Max DESIGNED TO BE JOINED IN SERIES LINES
		price [EUR]			
1	72 / 107	-	1 312	-	-
2	80 / 107	1 524	-	-	-
3	115 / 107	-	1 558	-	-
4	123 / 107	1 770	-	-	-
5	130 / 107	-	1 612	-	-
6	138 / 107	1 824	-	-	-
7	145 / 107	-	1 707	-	-
8	153 / 107	1 919	-	-	-
9	172 / 107	-	1 869	-	-
10	180 / 107	2 081	-	-	-
11	194 / 107	-	1 981	-	2 175
12	202 / 107	2 193	-	2 387	-

E Max module can be joined with all modules of E models

### Standard equipment

1	Double electric socket from the service side on the right side of the device	•	•	•	•
2	All panes made of tempered glass	•	•	•	•
3	Non-threshold storage bottom made of stainless steel	•	•	•	•
4	Worktop made of grinded stainless steel	grinded	•	•	•
		„linen" pattern	-	-	-
5	Housing painted in one of the colours chosen from the RAPA colour chart	•	•	•	•
6	Legs masking	•	•	•	•
7	Housing backlight with energy-saving, coloured LED diodes	•	•	•	•
8	LED lighting adapted for goods	•	•	•	•
9	Perforated platforms for EURO 2 containers	-	-	•	•
10	Electronic thermometer on the customer side	•	•	•	•
11	Decorative sides made of HIPS in the colour from the RAPA colour chart, filled with ecological polyurethane foam	•	-	•	-

3rd climatic class - correct operation of the device  
at the ambient temperature of +25°C and relative humidity 60%

Additional charge for module	price [EUR]
Set of 2 sides with side glass panes	330

## REFRIGERATED COUNTERS AND MODULES DESIGNED TO BE JOINED IN SERIES LINES **line E**

No.	length / depth [cm]	model			
		E1	MODULE E1 DESIGNED TO BE JOINED IN SERIES LINES	E1 Max	MODULE E1 Max DESIGNED TO BE JOINED IN SERIES LINES
		price [EUR]			
1	72 / 107	-	<b>1 340</b>	-	-
2	80 / 107	<b>1 552</b>	-	-	-
3	115 / 107	-	<b>1 593</b>	-	-
4	123 / 107	<b>1 805</b>	-	-	-
5	130 / 107	-	<b>1 649</b>	-	-
6	138 / 107	<b>1 863</b>	-	-	-
7	145 / 107	-	<b>1 746</b>	-	-
8	153 / 107	<b>1 958</b>	-	-	-
9	172 / 107	-	<b>1 912</b>	-	-
10	180 / 107	<b>2 124</b>	-	-	-
11	194 / 107	-	<b>2 023</b>	-	<b>2 224</b>
12	202 / 107	<b>2 235</b>	-	<b>2 435</b>	-

E1 Max module can be joined with all modules of E1 models

### Standard equipment

1	Double electric socket from the service side on the right side of the device	•	•	•	•
2	All panes made of tempered glass	•	•	•	•
3	Non-threshold storage bottom made of stainless steel	•	•	•	•
4	Worktop made of grinded stainless steel	grinded	-	-	-
		„linen" pattern	•	•	•
5	Housing painted in one of the colours chosen from the RAPA colour chart	•	•	•	•
6	Legs masking	•	•	•	•
7	Housing backlight with energy-saving, coloured LED diodes	•	•	•	•
8	LED lighting adapted for goods	•	•	•	•
9	Perforated platforms for EURO 2 containers	-	-	•	•
10	Electronic thermometer on the customer side	•	•	•	•
11	Decorative sides made of HIPS in the colour from the RAPA colour chart, filled with ecological polyurethane foam	•	-	•	-

3rd climatic class - correct operation of the device  
at the ambient temperature of +25°C and relative humidity 60%

Additional charge for module	price [EUR]
Set of 2 sides with side glass panes	<b>330</b>

## REFRIGERATED COUNTERS AND MODULES DESIGNED TO BE JOINED IN SERIES LINES line F

No.	length / depth [cm]	model			
		F	MODULE F DESIGNED TO BE JOINED IN SERIES LINES	F Max	MODULE F Max DESIGNED TO BE JOINED IN SERIES LINES
		price [EUR]			
1	72 / 107	-	1 399	-	-
2	80 / 107	1 654	-	-	-
3	115 / 107	-	1 667	-	-
4	123 / 107	1 923	-	-	-
5	130 / 107	-	1 728	-	-
6	138 / 107	1 983	-	-	-
7	145 / 107	-	1 830	-	-
8	153 / 107	2 086	-	-	-
9	172 / 107	-	2 112	-	-
10	180 / 107	2 367	-	-	-
11	194 / 107	-	2 193	-	2 393
12	202 / 107	2 448	-	2 648	-

F Max module can be joined with all modules of F models

### Standard equipment

1	Double electric socket from the service side on the right side of the device	•	•	•	•
2	All panes made of tempered glass	•	•	•	•
3	Non-threshold storage bottom made of stainless steel	•	•	•	•
4	Worktop made of "linen" stainless steel	•	•	•	•
5	Housing painted in one of the colours chosen from the RAPA colour chart	•	•	•	•
6	Legs masking	•	•	•	•
7	Housing backlight with energy-saving, coloured LED diodes	•	•	•	•
8	LED lighting adapted for goods	•	•	•	•
9	Perforated platforms for EURO 2 containers	-	-	•	•
10	Electronic thermometer on the customer side	•	•	•	•
11	Decorative sides made of HIPS in the colour from the RAPA colour chart, filled with ecological polyurethane foam	•	-	•	-

3rd climatic class - correct operation of the device  
at the ambient temperature of +25°C and relative humidity 60%

Additional charge for module	price [EUR]
Set of 2 sides with side glass panes	366



## REFRIGERATED COUNTERS AND MODULES DESIGNED TO BE JOINED IN SERIES LINES line F

### INTERNAL CORNER

F/NW/107	MODULE F/NW/107 DESIGNED TO BE JOINED IN SERIES LINES
<b>price [EUR]</b>	
<b>2 123</b>	<b>1 867</b>

### EXTERNAL CORNER

F/NZ/107	MODULE F/NZ/107 DESIGNED TO BE JOINED IN SERIES LINES
<b>price [EUR]</b>	
<b>2 193</b>	<b>1 937</b>

#### Standard equipment

No.		F/NW/107	moduł F/NW/107	F/NZ/107	moduł F/NZ/107
1	Double electric socket from the service side on the right side of the device	•	•	•	•
2	All panes made of tempered glass	•	•	•	•
3	Worktop made of "linen" stainless steel	•	•	•	•
4	Housing painted in one of the colours chosen from the RAPA colour chart	•	•	•	•
5	Legs masking	•	•	•	•
6	Housing backlight with energy-saving, coloured LED diodes	•	•	•	•
7	LED lighting adapted for goods	•	•	•	•
8	Electronic thermometer on the customer side	•	•	•	•
9	Decorative sides made of HIPS in the colour from the RAPA colour chart, filled with ecological polyurethane foam	•	-	•	-
10	Non-threshold storage bottom made of stainless steel	•	•	-	-
11	Uncooled space under the storage, next to the aggregate	•	•	-	-
12	Uncooled space under the storage, above the aggregate	-	-	•	•

L-F/NW - gravitational cooling

3rd climatic class - correct operation of the device at the ambient temperature of +25°C and relative humidity 60%

L-F/NZ - fan assisted cooling

3rd climatic class - correct operation of the device at the ambient temperature of +25°C and relative humidity 60%

Additional charge for module	price [EUR]
Set of 2 sides with side glass panes	<b>366</b>

# REFRIGERATED COUNTERS AND MODULES DESIGNED TO BE JOINED IN SERIES LINES line SiX

## Freestanding models

No.	length / depth [cm]	S	X	Si	Xi
		price [EUR]			
1	110/120	-	2 952	-	-
2	135/120	3 822	3 561	3 118	2 887
3	197/120	5 202	4 937	3 952	3 687

## Models of modules Designed to be joined in series lines

No.	length / depth [cm]	S	X	Si	Xi
		price [EUR]			
1	100/120	-	2 489	-	-
2	125/120	3 359	3 099	2 733	2 501
3	188/120	4 740	4 475	3 566	3 301

Additional charges for modules	S	X	Si	Xi
Set of 2 sides with side glass panes	463	463	386	386
Glass pane connecting closed modules and self-service	46	46	-	-

ADDITIONAL EQUIPMENT			
No.	description		price [EUR]
1	Device without aggregate	125/135 cm	-152
2		188/197 cm	-304

**ATTENTION:** About Refrigerated counters from line SiX:  
It is possible to move freely through the door 90 cm wide.  
May be moved across door 80 cm wide also - more information  
in RAPA Customer Service.

## INTERNAL CORNER

L-X/NW	MODULE L-X/NW DESIGNED TO BE JOINED IN SERIES LINES
price [EUR]	
4 048	3 586

L-Xi/NW	MODULE L-Xi/NW DESIGNED TO BE JOINED IN SERIES LINES
price [EUR]	
2 778	2 393

## EXTERNAL CORNER

L-X/NZ	MODULE L-X/NZ DESIGNED TO BE JOINED IN SERIES LINES
price [EUR]	
4 022	3 586

SiX line - 3rd climatic class - correct operation of the device at the ambient temperature of +25°C and relative humidity 60%

## HEATED SERVE OVER COUNTERS AND MODULES DESIGNED TO BE JOINED IN SERIES LINE SiX

### Freestanding models

No.	length / depth [cm]	S/DHBM	X/DHBM
		price [EUR]	
1	135/120	3 283	3 031

### Models of modules Designed to be joined in series lines

No.	length / depth [cm]	S/DHBM	X/DHBM
		price [EUR]	
1	125/120	2 821	2 569

Additional charges for modules	S/DHBM ; X/DHBM
Set of 2 sides with side glass panes	463

**ATTENTION:** About Refrigerated counters from line Si  
It is possible to move freely through the door 90 cm wide.  
May be moved across door 80 cm wide also - more information  
in RAPA Customer Service.

### Standard equipment line SiX

No.		S	X	X/NW	Si	Xi	Xi/NW	X/NZ	X/DHBM	S/DHBM
1	Sides made of ABS in inoXframe design	•	•	•	•	•	•	•	•	•
2	Worktop made of grinded stainless steel	•	•	•	•	•	•	•	•	•
3	Housing insulated with ecological polyurethane foam	•	•	•	•	•	•	•	•	•
4	Housing painted in black colour semi mat RAL 9005	•	•	•	•	•	•	•	•	•
5	Front finish in 2 versions: with bumpers or without bumpers	•	•	•	•	•	•	•	•	•
6	Double electric socket	•	•	•	•	•	•	•	•	•
7	Possibility to connect refrigerated counters in longer series lines	•	•	•	•	•	•	•	-	-
8	Fan assisted cooling	•	•	•	•	•	•	•	-	-
9	Possibility to connect heated serve over counters in longer series lines	-	-	-	-	-	-	-	•	•
10	Heaters - heating system	-	-	-	-	-	-	-	•	•
11	LED lighting adapted for goods	•	•	•	-	-	-	•	•	•
12	Exposition rack prepared for GN	-	-	-	-	-	-	-	•	•
13	Storage allows to store from 4 pcs. up to 8 pcs. of Euro 2 containers	•	•	•	•	•	•	•	-	-
14	Front glass pane divided, curved, opened up (lift-up)	•	-	-	-	-	-	-	-	•
15	Front glass pane divided, flat, opened up (lift-up)	•	•	•	-	-	-	•	•	-
16	Front glass pane curved, short	-	-	-	•	-	-	-	-	-
17	Front glass pane flat, short	-	-	-	-	•	•	-	-	-
18	Front glass pane flat, permanently fixed	-	-	•	-	-	-	-	-	-

# ADDITIONAL EQUIPMENT FOR REFRIGERATED COUNTERS

ADDITIONAL EQUIPMENT			
No.	description	price [EUR]	
<b>Refrigerating unit</b>			
1	Automatic condensate evaporation system	87	
2	Glass panes drainage system <sup>1</sup>	148	
3	Device without aggregate (for line SiX page 10)	-133	
4	Protection of the evaporator with a preservative coating	81	
5	A set of thermostatic expansion valves - 2 pcs. <sup>2, 3</sup>	196	
6	Thermostatic expansion valve R404a / R452a <sup>3</sup>	98	
<b>Housing</b>			
1	Set of 4 wheels with regulated foot <sup>4</sup>	147	
2	Housing made of stainless steel of refrigerated counters and modules of the length 155 cm	314	
3	Housing made of stainless steel of refrigerated counters and modules of the length: up to 172 cm	399	
4	Painting of housing in individual of RAL colour refrigerated counters and modules of the length: up to 155 cm / from 172 cm	82	108
5	Painting of housing in colour from the RAPA colour chart refrigerated counters and modules of the length: up to 152 cm / from 179 cm	60	87
6	Legs masking	27	
7	Front shelf for customer - railing (price per m) <sup>5</sup>	78	
8	Front made of furniture board - decor to be chosen from the confectionary display cases chart line A and B (price per m.) <sup>6</sup>	71,08	
9	Front made of furniture board - decor to be chosen from the confectionary display cases chart line EXCELLENTE (price per m.) <sup>6</sup>	119,28	
10	Order and moutage of additional double electric socket	36	
11	Order counter without double electric socket	0	
12	Change the side of double electric socket moutage - left side of the device	31	
<b>Worktop</b>			
1	Worktop made of granite of the thickness of 2 cm (price per m.)	104	
2	Worktop made of granite - widened (price per cm) max. width up to 35 cm	3	
3	Worktop made of stainless steel "linen" pattern for refrigerated counters and modules of the length: up to 155 cm / from 172 cm	48	72
4	Worktop made of stainless steel "linen" pattern - widened (price per cm) max. width up to 35 cm	3	
5	Worktop made of grinded stainless steel for refrigerated counter of the length: up to 152 cm / from 179 cm	40	60
6	Worktop made of grinded stainless steel - widened (price per cm) max. width up to 35 cm	3	
7	Laminated worktop - widened (price per cm) max. width up to 35 cm	1	
8	Platform on worktop for cashbox or scale made of grinded stainless steel with guiding profile of the length up to 138 cm / from 145 cm (platform dimensions: 50 x 35 cm) <sup>7</sup>	60	90
<b>Exposition</b>			
1	Sloping bottom of the exposition area <sup>8</sup>	30	
2	Shelf in the exposition area made of tempered glass - non-refrigerated	58	
3	Exposure partition made of tempered glass - permanently fixed	40	
4	Support for glass shelf in exposition area of series lines	49	
<b>Storage</b>			
1	Shelf under the storage, next to aggregate - non-refrigerated <sup>9</sup>	55	
2	Storage partition permanently fixed <sup>10</sup>	42	

<sup>1</sup> not applicable to the following models: A3, B3, D3, E, E Max, E1, E1 Max, F, F Max

<sup>2</sup> applicable to the models line SiX

<sup>3</sup> valve for other factors – availability and price upon agreement

<sup>4</sup> not applicable to modules joined in series lines

<sup>5</sup> applicable to the models lines: E, F (except for internal corner models)

<sup>6</sup> applicable to the models lines: E, F

<sup>7</sup> not applicable to the models of the corner refrigerated counters and modules

and models of the corner refrigerated counters and modules with laminated worktop

<sup>8</sup> applicable to the models of the depth 107 cm except for models:

E, E Max, E1, E1 Max, F, F Max

<sup>9</sup> not applicable to the models of the length up to 125 cm

and the following models: E Max, E1 Max, F Max not applicable

<sup>10</sup> to the following models: E Max, E1 Max, F Max

# ADDITIONAL EQUIPMENT FOR HEATED SERVE OVER COUNTERS

ADDITIONAL EQUIPMENT		
No.	description	price [EUR]
<b>Housing</b>		
1	Set of 4 wheels with regulated foot	147
2	Order and moutage of additional double electric socket	36
3	Order counter without double electric socket	0
4	Change the side of double electric socket moutage - left side of the device	31
<b>Worktop</b>		
1	Worktop made of granite of the thickness of 2 cm (price per m.)	104
2	Worktop made of stainless steel "linen" pattern for refrigerated counters and modules of the length: up to 155 cm / from 172 cm	48

## ACCESSORIES FOR REFRIGERATED COUNTER AND HEATED SERVE OVER COUNTERS

ACCESSORIES		
No.	description	price [EUR]
1	Cutting board (movable of HDPE), dimensions: 40 x 31,5 cm	53
2	Pollen filter (reusable)	22
3	Cascade made of stainless steel "mirror" pattern of the depth of 33 cm (price per m.) <sup>9, 14</sup>	51
4	Cascade made of stainless steel "mirror" pattern of the depth of 37 cm (price per m.) <sup>10, 14</sup>	51
5	Platform for top containers in storage <sup>11, 14</sup>	100
6	GN containers for heated serve over counters	<b>availability and price upon agreement</b>
7	Guides for GN containers - pcs.	8
8	Cash shelf of the width of 25 cm (made of grinded stainless steel, price per m.) <sup>12, 14</sup>	43
9	Cash shelf of the width of 25 cm (made of stainless steel "linen" pattern, price per m.) <sup>12, 14</sup>	54
10	Front shelf for customer - railing (price per m.) <sup>13, 14</sup>	78
11	Exposure partition made of tempered glass (movable), height 24 cm <sup>14</sup>	40
12	Exposure partition made of transparent PET - movable, height 35 cm <sup>14</sup>	27
13	USB temperature recorder	137
14	Night cover made of PET <sup>14</sup>	27
15	Night cover made of PMMA <sup>10</sup>	27

<sup>9</sup> applicable to counters 107 cm 107 cm

<sup>10</sup> applicable to the models SIX line

<sup>11</sup> applicable to the models: E Max, E1 Max, F Max, Si

<sup>12</sup> not applicable to the models: A, A1, A2, A3, E1, E1 Max, F, F Max

<sup>13</sup> applicable to the models lines: A, B, C, D, SIX (except for internal corner models)

<sup>14</sup> not applicable to heated counters and modules

# NEUTRAL CASH COUNTERS

## line A, B, C/D, E, F, SiX

### STRAIGHT

No.	length / depth [cm]	model						
		LK-A, B	LK-A1, B1	LK-A2, B2 LK-C LK-D	LK-A3, B3 LK-D3 **	LK-E, E Max**	LK-E1, E1 Max**	LK-F, F Max**
		price [EUR]						
1	100 / 82*	427	447	483	-	-	-	-
2	100 / 90	445	463	516	-	-	-	-
3	100 / 107	461	483	551	629	704	728	752
No.	length / depth	LK-SiX	LK-SiX/X					
		price [EUR]						
1	100 / 80	-	584					
2	100 / 120	916	-					

The length of the neutral cash counter can be extended every 10 cm from 50 cm up to 200 cm.

In case of longer neutral cash counter, each 10 cm = +5% of the catalogue price.

In case of shorter neutral cash counter, each 10 cm = -2,5% of the catalogue price.

Quotation of devices longer than 2 m requires consultation with sales department.

\* - not available in the models: B, B1, B2, C, D

\*\* - neutral cash counters 3 cm longer

### INTERNAL CORNER

No.	side length [cm]	model						
		LK-A, B/NW	LK-A1, B1/NW	LK-A2, B2/NW LK-C/NW LK-D/NW	LK-A3, B3/NW LK-D3/NW **	LK-E, E Max/NW	LK-E1, E1 Max/NW	LK-F, F Max/NW
		price [EUR]						
1	82*	763	802	837	-	-	-	-
2	90	778	825	877	-	-	-	-
3	107	802	851	917	998	1 060	1 081	1 111
No.	side length	LK-SiX/NW						
		price [EUR]						
1	120	1 222						

\* - not available in the models: B/NW, B1/NW, B2/NW, C/NW, D/NW

### EXTERNAL CORNER

No.	side length [cm]	model						
		LK-A, B/NZ	LK-A1, B1/NZ	LK-A2, B2/NZ LK-C/NZ LK-D/NZ	LK-A3, B3/NZ LK-D3/NZ **	LK-E, E Max/NZ	LK-E1, E1 Max/NZ	LK-F, F Max/NZ
		price [EUR]						
1	82*	780	816	853	-	-	-	-
2	90	802	846	893	-	-	-	-
3	107	817	871	937	1 014	1 087	1 099	1 128

\* - not available in the models: B/NZ, B1/NZ, B2/NZ, C/NZ, D/NZ

### ADDITIONAL EQUIPMENT

No.	description	price [EUR]
1	Worktop made of granite	contact with sales department
2	Additional shelf made of powder-painted steel	28
3	Set of 4 pcs. of rotary wheels (2 with brake)	60
4	Set of 6 rotary wheels (including 2 pcs. with brake) applies to corner neutral cash counters - external	93
5	Housing and additional stainless steel shelf	contact with sales department
6	Painting of housing in individual of RAL colour	contact with sales department
7	Order and moutage of double electric socket	36

Neutral cash counters consist of two dismountable elements to enable carry through the door of the width of 68 cm.

## REFRIGERATED ISLAND AND MODULES DESIGNED TO BE JOINED IN SERIES LINES

<b>L-WB1 141</b>	<b>MODULE L-WB1 125</b> DESIGNED TO BE JOINED IN SERIES LINES
<b>price [EUR]</b>	
<b>2 316</b>	<b>2 070</b>

### Standard equipment

1	Plug-in unit powered with ecological R-290 refrigerant	●
2	Divided bottom of the exposition made of stainless steel, pulled out segments	●
3	Housing and exposition painted in colour: RAL 9003 signal white , RAL 7004 signal grey or RAL 9005 jet black	●
4	Set of 4 pcs. of rotary wheels (2 with brake)	●
5	Device glazed from all sides 2 sides made of tempered glass, 2 sides made of transparent plexiglass - PMMA	●
6	Freestanding device with possibility of connecting it in series lines	●
7	Protective bumpers made of stainless steel	●

ADDITIONAL EQUIPMENT		
No.	description	price [EUR]
1	Painting the device in colour: RAL 7015 Slate grey, RAL 5002 Ultramarine blue, RAL 6017 May green, RAL 1021 Rape yellow, RAL 3020 Traffic red or RAL 8016 Mahogany brown	<b>133</b>
2	Stainless steel interior	<b>82</b>
3	Automatic condensate evaporation system	<b>87</b>
4	Protection of the evaporator with a preservative coating	<b>81</b>
5	Thermostatic expansion valve R404a / R452a <sup>1</sup>	<b>98</b>
ACCESSORIES		
1	Pollen filter	<b>27</b>
2	USB temperature recorder	<b>137</b>

<sup>1</sup> valve for other factors – availability and price upon agreement

Dopłata do modułów	
Set of 2 acrylic glass sides	<b>246</b>

# UPRIGHT REFRIGERATED CABINETS

## STORAGE and SINGLE-SIDED GLASS series *ecoline*

No.	product code type / model	AD bottom mounted unit		AG top mounted unit		additional charge			
		3 <sup>rd</sup> class	4 <sup>th</sup> class	3 <sup>rd</sup> class	4 <sup>th</sup> class	interior made of stainless steel	housing made of stainless steel	interior and housing made of stainless steel	fan assisted cooling
						NW	NZ	2N	W
<b>Z ... - storage, hinged door</b>									
No.	product code	price [EUR]							
1	SCh - Z 625 <i>ecoline</i>	1 271	1 312	1 357	1 404	87	178	265	-
2	SCh - Z 725 <i>ecoline</i>	1 335	1 389	1 419	1 473	94	193	287	-
3	SCh - Z 825 <i>ecoline</i>	1 343	1 408	1 430	1 493	101	207	308	page 18
4	SCh - Z 1200 <i>ecoline</i>	1 622	1 717	1 730	1 824	171	296	467	-
5	SCh - Z 1400 <i>ecoline</i>	1 652	1 747	1 760	1 854	181	313	494	page 18
6	SCh - Z 1600 <i>ecoline</i>	1 665	1 763	1 783	1 877	190	330	520	page 18

<b>Z .../2D and 3D - storage, hinged door (2D - single-chamber, two-door; 3D - double-chamber, three-door)</b>									
No.	product code	price [EUR]							
1	SCh - Z 625 / 2D <i>ecoline</i>	1 351	1 399	1 436	1 482	87	178	265	-
2	SCh - Z 725 / 2D <i>ecoline</i>	1 414	1 473	1 501	1 555	94	193	287	-
3	SCh - Z 825 / 2D <i>ecoline</i>	1 431	1 496	1 522	1 584	101	207	308	-
4	SCh - Z 1200 / 3D <i>ecoline</i>	1 734	1 827	1 841	1 935	171	296	467	-
5	SCh - Z 1400 / 3D <i>ecoline</i>	1 775	1 864	1 870	1 965	181	313	494	-
6	SCh - Z 1600 / 3D <i>ecoline</i>	1 793	1 892	1 898	1 995	190	330	520	-

<b>ZR ... - storage, sliding door</b>									
No.	product code	price [EUR]							
1	SCh - ZR 1200 <i>ecoline</i>	1 820	1 918	1 922	2 017	171	296	467	-
2	SCh - ZR 1400 <i>ecoline</i>	1 853	1 943	1 951	2 052	181	313	494	-
3	SCh - ZR 1600 <i>ecoline</i>	1 873	1 965	1 978	2 071	190	330	520	-

<b>S ... - single-sided glass, hinged door</b>									
No.	product code	price [EUR]							
1	SCh - S 625 <i>ecoline</i>	1 343	1 407	1 459	1 522	72	149	221	75
2	SCh - S 725 <i>ecoline</i>	1 419	1 481	1 536	1 600	80	159	239	
3	SCh - S 825 <i>ecoline</i>	1 501	1 589	1 619	1 710	87	169	256	
4	SCh - S 1200 <i>ecoline</i>	1 877	1 972	2 025	2 122	140	227	367	150
5	SCh - S 1400 <i>ecoline</i>	1 923	2 024	2 081	2 176	149	239	388	
6	SCh - S 1600 <i>ecoline</i>	2 019	2 116	2 181	2 275	159	251	410	

<b>S .../2D and 3D - single-sided glass, hinged door (2D - single-chamber, two-door; 3D - double-chamber, three-door)</b>									
No.	product code	price [EUR]							
1	SCh - S 625 / 2D <i>ecoline</i>	1 430	1 492	1 536	1 599	72	149	221	75
2	SCh - S 725 / 2D <i>ecoline</i>	1 510	1 569	1 618	1 678	80	159	239	
3	SCh - S 825 / 2D <i>ecoline</i>	1 600	1 684	1 706	1 794	87	169	256	
4	SCh - S 1200 / 3D <i>ecoline</i>	1 995	2 095	2 133	2 229	140	227	367	150
5	SCh - S 1400 / 3D <i>ecoline</i>	2 046	2 143	2 187	2 283	149	239	388	
6	SCh - S 1600 / 3D <i>ecoline</i>	2 159	2 242	2 296	2 393	159	251	410	

<b>SR ... - single-sided glass, sliding door</b>									
No.	product code	price [EUR]							
1	SCh - SR 1200 <i>ecoline</i>	2 011	2 104	2 161	2 254	140	227	367	150
2	SCh - SR 1400 <i>ecoline</i>	2 035	2 125	2 200	2 283	149	239	388	
3	SCh - SR 1600 <i>ecoline</i>	2 082	2 229	2 243	2 387	159	251	410	



No.	product code type / model	AD bottom mounted unit		AG top mounted unit		additional charge			
		3 <sup>rd</sup> class	4 <sup>th</sup> class	3 <sup>rd</sup> class	4 <sup>th</sup> class	interior made of stainless steel	housing made of stainless steel	interior and housing made of stainless steel	fan assisted cooling
						NW	NZ	2N	W

**2S ... - double-sided glass, hinged door, blockade on the customer side**

No.	product code	price [EUR]							
1	SCh - 2S 625 <i>ecoline</i>	1 502	1 559	-	-	63	120	183	75
2	SCh - 2S 725 <i>ecoline</i>	1 534	1 593	-	-	67	128	195	
3	SCh - 2S 825 <i>ecoline</i>	1 571	1 655	-	-	72	135	207	
4	SCh - 2S 1200 <i>ecoline</i>	2 001	-	-	-	111	157	268	150
5	SCh - 2S 1400 <i>ecoline</i>	2 123	-	-	-	116	166	282	
6	SCh - 2S 1600 <i>ecoline</i>	2 282	-	-	-	120	176	296	

**2S .../1D - double-sided glass, hinged door, glass pane permanently fixed on the customer side**

No.	product code	price [EUR]							
1	SCh - 2S 625 / 1D <i>ecoline</i>	1 588	1 652	1 673	-	63	120	183	75
2	SCh - 2S 725 / 1D <i>ecoline</i>	1 608	1 681	1 694	-	67	128	195	
3	SCh - 2S 825 / 1D <i>ecoline</i>	1 648	1 719	1 731	-	72	135	207	
4	SCh - 2S 1200 / 1D <i>ecoline</i>	2 116	-	2 224	-	111	157	268	150
5	SCh - 2S 1400 / 1D <i>ecoline</i>	2 241	-	2 347	-	116	166	282	
6	SCh - 2S 1600 / 1D <i>ecoline</i>	2 400	-	2 512	-	120	176	296	

**2SR ... - double-sided glass, sliding door on the service side, hinged door with blockade on the customer side**

No.	product code	price [EUR]							
1	SCh - 2SR 1200 <i>ecoline</i>	2 131	-	-	-	111	157	268	150
2	SCh - 2SR 1400 <i>ecoline</i>	2 210	-	-	-	116	166	282	
3	SCh - 2SR 1600 <i>ecoline</i>	2 335	-	-	-	120	176	296	

**2SR .../1D - double-sided, sliding door on the service side, glass panes permanently fixed on the customer side**

No.	product code	price [EUR]							
1	Sch - 2SR 1200 / 1D <i>ecoline</i>	2 300	-	2 410	-	111	157	268	150
2	Sch - 2SR 1400 / 1D <i>ecoline</i>	2 394	-	2 490	-	116	166	282	
3	Sch - 2SR 1600 / 1D <i>ecoline</i>	2 489	-	2 627	-	120	176	296	

**2S2R ... - double-sided glass, sliding door on both sides**

No.	product code	price [EUR]							
1	Sch - 2S2R 1200 <i>ecoline</i>	2 351	-	-	-	111	157	268	150
2	Sch - 2S2R 1400 <i>ecoline</i>	2 449	-	-	-	116	166	282	
3	Sch - 2S2R 1600 <i>ecoline</i>	2 596	-	-	-	120	176	296	

Chamber bottom made of stainless steel in all upright refrigerated cabinets.  
All glass panes in upright refrigerated cabinets are made of tempered glass.

3rd climatic class (3rd class) – correct operation of the device  
at the ambient temperature of +25°C and relative humidity 60%

4th climatic class (4th class) – correct operation of the device  
at the ambient temperature of +30 C and relative humidity 55%

## UPRIGHT REFRIGERATED CABINETS STORAGE, STANDARD

No.	product code type / model	AD bottom mounted unit		AG top mounted unit		additional charge			
		3 <sup>rd</sup> class	4 <sup>th</sup> class	3 <sup>rd</sup> class	4 <sup>th</sup> class	interior made of stainless steel	housing made of stainless steel	interior and housing made of stainless steel	fan assisted cooling
						NW	NZ	2N	W
<b>Z ... - storage, hinged door</b>									
No.	product code	price [EUR]							
1	SCh - Z 625	1 175	1 214	1 229	1 267	87	178	265	-
2	SCh - Z 725	1 233	1 282	1 281	1 330	94	193	287	-
3	SCh - Z 825	1 243	1 300	1 296	1 352	101	207	308	below
4	SCh - Z 1200	1 498	1 586	1 564	1 647	171	296	467	-
5	SCh - Z 1400	1 518	1 602	1 582	1 677	181	313	494	below
6	SCh - Z 1600	1 537	1 635	1 602	1 696	190	330	520	below

<b>Z .../2D and 3D - storage, hinged door (2D - single-chamber, two-door; 3D - double-chamber, three-door)</b>									
No.	product code	price [EUR]							
1	SCh - Z 625 / 2D	1 253	1 295	1 302	1 347	87	178	265	-
2	SCh - Z 725 / 2D	1 312	1 365	1 365	1 413	94	193	287	-
3	SCh - Z 825 / 2D	1 330	1 386	1 382	1 440	101	207	308	-
4	SCh - Z 1200 / 3D	1 607	1 695	1 672	1 759	171	296	467	-
5	SCh - Z 1400 / 3D	1 639	1 724	1 699	1 784	181	313	494	-
6	SCh - Z 1600 / 3D	1 665	1 752	1 724	1 813	190	330	520	-

<b>ZR ... - storage, sliding door</b>									
No.	product code	price [EUR]							
1	SCh - ZR 1200	1 681	1 761	1 781	1 869	171	296	467	-
2	SCh - ZR 1400	1 710	1 794	1 807	1 886	181	313	494	-
3	SCh - ZR 1600	1 724	1 817	1 825	1 911	190	330	520	-

<b>UPRIGHT REFRIGERATED CABINET FOR 21 CONTAINERS EURO 2</b>		3 kl. cena	4 kl. cena
Sch - Z 1600 / AG / 21-E2		1 937	2 031

## UPRIGHT REFRIGERATED CABINETS STORAGE, SPECIALIST, series CARGO

<b>Z CARGO ... - series of specialist and transport storage cabinets</b>		
No.	product code type / model	price [EUR]
1	SCh - Z Cargo 500	3 047
2	SCh - Z Cargo 1000	3 484

## UPRIGHT, TOP MOUNTED STAINLESS STEEL REFRIGERATED CABINETS STORAGE

<b>Z .../AG/2N - zapleczone, nierdzewne</b>			
No.	product code type / model	3 <sup>rd</sup> class	4 <sup>th</sup> class
		price [EUR]	price [EUR]
1	Sch - Z / AG / 2N 625	1 494	1 532
2	Sch - Z / AG / 2N 725	1 568	1 617
3	Sch - Z / AG / 2N 825	1 604	1 660
4	Sch - Z / AG / 2N 1200	2 031	2 114
5	Sch - Z / AG / 2N 1400	2 176	2 171
6	Sch - Z / AG / 2N 1600	2 122	2 216

## UPRIGHT REFRIGERATED CABINETS STORAGE WITH FAN ASSISTED COOLING

<b>Z .../W - storage with fan assisted cooling</b>					
No.	product code type / model	price [EUR]	additional charge		
			NW	NZ	2N
1	SCh - Z 825 / AG / W	1 371	101	207	308
2	SCh - Z 1400 / W	1 667	181	313	494
3	SCh - Z 1600 / W	1 687	190	330	520

<b>Z .../W - storage with fan assisted cooling series <i>ecoline</i></b>					
No.	product code type / model	price [EUR]	additional charge		
			NW	NZ	2N
1	SCh - Z 825 / AG / W <i>ecoline</i>	1 505	101	207	308
2	SCh - Z 1400 / W <i>ecoline</i>	1 801	181	313	494
3	SCh - Z 1600 / W <i>ecoline</i>	1 814	190	330	520

## UPRIGHT REFRIGERATED CABINETS SINGLE-SIDED GLASS, STANDARD

No.	product code type / model	AD bottom mounted unit		AG top mounted unit		additional charge			
		3 <sup>rd</sup> class	4 <sup>th</sup> class	3 <sup>rd</sup> class	4 <sup>th</sup> class	interior made of stainless steel	housing made of stainless steel	interior and housing made of stainless steel	fan assisted cooling
						NW	NZ	2N	W
<b>S ... -single-sided glass, hinged door</b>									
No.	product code	price [EUR]							
1	SCh - S 625	1 241	1 299	1 295	1 349	72	149	221	75
2	SCh - S 725	1 312	1 369	1 360	1 417	80	159	239	
3	SCh - S 825	1 386	1 469	1 436	1 516	87	169	256	
4	SCh - S 1200	1 733	1 818	1 794	1 873	140	227	367	150
5	SCh - S 1400	1 781	1 870	1 841	1 923	149	239	388	
6	SCh - S 1600	1 873	1 959	1 922	2 016	159	251	410	

<b>S .../2D i 3D -single-sided glass, hinged door (2D - single-chamber, two-door; 3D - double-chamber, three-door)</b>									
No.	product code	price [EUR]							
1	SCh - S 625 / 2D	1 320	1 378	1 372	1 423	72	149	221	75
2	SCh - S 725 / 2D	1 393	1 448	1 442	1 498	80	159	239	
3	SCh - S 825 / 2D	1 473	1 555	1 520	1 602	87	169	256	
4	SCh - S 1200 / 3D	1 842	1 930	1 904	1 986	140	227	367	150
5	SCh - S 1400 / 3D	1 893	1 982	1 947	2 036	149	239	388	
6	SCh - S 1600 / 3D	1 992	2 080	2 049	2 133	159	251	410	

<b>SR ... - single-sided glass, sliding door</b>									
No.	product code	price [EUR]							
1	SCh - SR 1200	1 825	1 942	1 922	2 039	140	227	367	150
2	SCh - SR 1400	1 873	1 963	1 976	2 061	149	239	388	
3	SCh - SR 1600	1 919	2 058	2 017	2 155	159	251	410	

## UPRIGHT REFRIGERATED CABINETS ONE SIDE GLAZED, HIGHER WITH FAN ASSISTED COOLING

<b>SR... - single-sided glass, with sliding doors WH - increased capacity, higher with a fan</b>		
No.	product code	price [EUR]
1	SCh - SR 1200 / WH	2 333
2	SCh - SR 1600 / WH	2 407

Chamber bottom made of stainless steel in all upright refrigerated cabinets. All glass panes in upright refrigerated cabinets are made of tempered glass.

## UPRIGHT REFRIGERATED CABINETS DOUBLE-SIDED GLASS, STANDARD

No.	product code type / model	AD bottom mounted unit		AG top mounted unit		additional charge			
		3 <sup>rd</sup> class	4 <sup>th</sup> class	3 <sup>rd</sup> class	4 <sup>th</sup> class	interior made of stainless steel	housing made of stainless steel	interior and housing made of stainless steel	fan assisted cooling
						NW	NZ	2N	W

### 2S ... - two sides glazed, hinged door, blockade on the customer side

No.	product code	price [EUR]							
1	SCh - 2S 625	1 359	1 408	-	-	63	120	183	75
2	SCh - 2S 725	1 386	1 441	-	-	67	128	195	
3	SCh - 2S 825	1 419	1 495	-	-	72	135	207	
4	SCh - 2S 1200	1 807	-	-	-	111	157	268	150
5	SCh - 2S 1400	1 920	-	-	-	116	166	282	
6	SCh - 2S 1600	2 051	-	-	-	120	176	296	

### 2S .../1D - two sides glazed, hinged door, glass pane permanently fixed on the customer side

No.	product code	price [EUR]							
1	SCh - 2S 625 / 1D	1 440	1 496	1 519	-	63	120	183	75
2	SCh - 2S 725 / 1D	1 460	1 525	1 536	-	67	128	195	
3	SCh - 2S 825 / 1D	1 495	1 555	1 571	-	72	135	207	
4	SCh - 2S 1200 / 1D	1 923	-	2 017	-	111	157	268	150
5	SCh - 2S 1400 / 1D	2 037	-	2 131	-	116	166	282	
6	SCh - 2S 1600 / 1D	2 177	-	2 275	-	120	176	296	

### 2SR ... - two sides glazed, sliding door on the service side, hinged door with blockade on the customer side

No.	product code	price [EUR]							
1	SCh - 2SR 1200	1 922	-	-	-	111	157	268	150
2	SCh - 2SR 1400	2 016	-	-	-	116	166	282	
3	SCh - 2SR 1600	2 114	-	-	-	120	176	296	

### 2SR .../1D - two sides glazed door, sliding door on the service side, glass panes permanently fixed on the customer side

No.	product code	price [EUR]							
1	SCh - 2SR 1200 / 1D	2 071	-	2 171	-	111	157	268	150
2	SCh - 2SR 1400 / 1D	2 158	-	2 243	-	116	166	282	
3	SCh - 2SR 1600 / 1D	2 242	-	2 367	-	120	176	296	

### 2S2R ... - two sides glazed, sliding door on both sides

No.	product code	price [EUR]							
1	SCh - 2S2R 1200	2 145	-	-	-	111	157	268	150
2	SCh - 2S2R 1400	2 234	-	-	-	116	166	282	
3	SCh - 2S2R 1600	2 372	-	-	-	120	176	296	

3rd climatic class (3rd class) – correct operation of the device  
at the ambient temperature of +25°C and relative humidity 60%

4th climatic class (4th class) – correct operation of the device  
at the ambient temperature of +30 C and relative humidity 55%

Chamber bottom made of stainless steel in all upright refrigerated cabinets. All glass panes in upright refrigerated cabinets are made of tempered glass.

ADDITIONAL EQUIPMENT		
No.	description	price [EUR]
<b>Refrigerating unit</b>		
1	Automatic condensate evaporation system (for cabinets with a bottom mounted unit) <sup>1</sup>	87
2	Device without aggregate	-133
3	Protection of the evaporator with a preservative coating	81
4	Thermostatic expansion valve R404a / R452a <sup>2</sup>	98
<b>Housing</b>		
1	Set of 4 pcs. of rotary wheels (2 with brake) <sup>3</sup>	60
2	Set of 4 wheels with regulated foot <sup>4</sup>	147
3	Painting of housing in individual RAL colour chosen by customer - cabinets single-chamber / double-chamber	80   106
4	Painting of housing in colour from the RAPA colour chart - cabinets single-chamber / double-chamber	55   82
5	Adjustable legs made of stainless steel (with regulation 87 ÷ 97 mm)	60
6	Self-closing system of hinged door - cabinets single-chamber / double-chamber	30   60
7	Open door sound alarm	82
8	Lock for sliding door	30
9	Lock for hinged door - cabinets single-chamber / double-chamber	30   60
<b>Interior</b>		
1	Bar for hooks type S - cabinets single-chamber / double-chamber <sup>5</sup>	67   135
2	LED lighting for storage upright cabinets along with automatic switch - cabinets single-chamber / double-chamber	147   193
3	LED lighting for storage upright cabinets along with automatic switch with open door sound alarm - cabinets single-chamber / double-chamber	154   222
4	LED lighting for storage upright cabinets along with automatic switch and an integrated fan switch and open door sound alarm - cabinets single-chamber / double-chamber	154   222
5	Automatic fan switch/es with open door sound alarm - cabinets single-chamber / double-chamber <sup>6</sup>	54   108
6	Automatic fan switches with open door sound alarm - cabinets single-chamber / double-chamber <sup>7</sup>	67   128
7	Adaptation of the device for GN containers (1/1, 1/2, 1/3, 2/3) applicable to upright refrigerated cabinets models Z-825 / Z-1600 (without a fan) (set of 5 / 10 pcs. shelves are exchangeable to set of 10 / 20 pcs. guides)	77   154
8	Interior of double-chamber upright cabinet without partition	67
9	Reinforced chamber bottom - cabinets single-chamber / double-chamber	25   51
10	Basis for EURO 2 containers - applicable to cabinets of the widths of 825 mm and 1600 mm	67   135

<sup>1</sup> not applicable to upright refrigerated cabinets which are the subject to the energy labelling regulations

<sup>2</sup> valve for other factors - availability and price upon agreement

<sup>3</sup> applicable to single-chamber upright refrigerated cabinets (except for Z Cargo)

<sup>4</sup> applicable to double-chamber upright refrigerated cabinets

<sup>5</sup> for cabinets 625/1200 – 3 hooks per chamber, for cabinets 725/1400 – 4 hooks per chamber; for cabinets 825/1600 – 5 hooks per chamber

<sup>6</sup> for cabinets: single-chamber - 1 switch, double-chamber - 2 switches; not applicable to cabinets 2S2R, 2SR, 2S

<sup>7</sup> for cabinets 2S2R, 2SR, 2S; for cabinets: single-chamber - 2 switches, double-chamber - 4 switches

ACCESSORIES					
No.	description				price [EUR]
1	Pollen filter (reusable)				22
2	Shelf edge strip (transparent)				4
3	Perforated pad to be applied on standard shelf - made of grinded stainless steel for cabinets 625/725/825				18 / 20 / 22
4	Shelf for GN containers				8
5	Guides for GN containers				6
6	USB temperature recorder (wireless)				137
7	Shelf support				1
<b>SHELVES (without supports)</b>					
No.	Width of upright refrigerated cabinet	Standard	Dense	Acid-resistant standard	Acid-resistant dense
1	625 / 1200	19	28	40	66
2	725 / 1400	21	30	42	75
3	825 / 1600	23	32	44	84
<b>ADDITIONAL CHARGE FOR SHELVES SETS</b>					
Below charges are valid only in the day of purchase of upright refrigerated cabinet (information about choosing the shelves different than standard required in the day of order)					
1	625 / 1200	-	44 / 88	152 / 304	281 / 562
2	725 / 1400		49 / 98	161 / 322	332 / 664
3	825 / 1600		54 / 108	170 / 340	360 / 720

# UPRIGHT FREEZER STORAGE

product code type / model	AG top mounted unit	additional charge
	4 <sup>th</sup> class	housing made of stainless steel <b>NZ</b>
FAT/M - Upright freezers with increased body insulation		
product code	price [EUR]	price [EUR]
SCh - Z 770 / FAT / M	2 705	205

## Standard equipment

1	4rd climatic class	●
2	Plug-in unit powered with R455A refrigerant	●
3	Electronic temperature controller with display	●
4	Automatic condensate evaporation system	●
5	Steel, hinged door	●
6	Housing coated in colour RAL 9010 Pure white - semi-mat	●
7	Condenser cover can be opened without tools	●
8	Housing insulated with 10 cm thick ecological polyurethane foam	●
9	Reversible door	●
10	Stainless steel adjustable legs	●
11	Foot operated door opener	●
12	Stainless steel strip for fixing shelf supports and guides	●
13	Adapted for GN containers *	●
14	Inside of the upright refrigerated cabinet made of "mirror" stainless steel	●
15	Set of stainless steel shelves - 3 pcs	●
16	Guides – 3 levels of universal guides	●

\* GN containers are not part of the device.

ADDITIONAL EQUIPMENT		
No.	description	price [EUR]
<b>Refrigerating unit</b>		
1	Device without aggregate	-133
2	Protection of the evaporator with a preservative coating	81
3	Thermostatic expansion valve R404a / R452a <sup>1</sup>	95
<b>Housing</b>		
1	Set of 4 wheels with regulated foot	147
2	Housing coated in colour 7016 - semi-mat	68
3	Container basis EURO 2	67
4	Self-closing system of hinged door	30
5	Sound alarm of open door	82
6	Lock for hinged door	30
<b>Shelves and guides</b>		
1	Set of universal guides for the FAT cabinet – 2 pcs	11
2	Shelf without guides for the FAT cabinet	32
3	Rails for baking trays – 1 level	14
<b>AKCESORIA</b>		
1	Pollen filter (reusable)	22

<sup>1</sup> valve for other factors – availability and price upon agreement

# MULTIDECK REFRIGERATED DISPLAYS AND MODULES DESIGNED TO BE JOINED IN SERIES LINES

No.	width [cm]	Multideck refrigerated display - open		Exposition space [m <sup>2</sup> ]
		RCh-O	MODULE RCh-O*	
		price [EUR]	price [EUR]	
1	125	-	2 681	2,23
2	133	3 059	-	2,23
3	188	-	3 337	3,36
4	196	3 716	-	3,36

No.	width [cm]	Multideck refrigerated display - closed		Exposition space [m <sup>2</sup> ]
		RCh-SR	MODULE RCh-SR*	
1	125	-	3 370	2,23
2	133	3 748	-	2,23
3	188	-	4 372	3,36
4	196	4 751	-	3,36

No.	product code	Multideck refrigerated display - open, line POS	Exposition space refrigerated [m <sup>2</sup> ]	Exposition space non-refrigerated [m <sup>2</sup> ]
		price [EUR]		
1	POS-A 725	1 400	0,62	0,21
2	POS-A 925	1 441	0,81	0,27

## Standard equipment

		RCh-O	RCh-SR	POS-A
1	3rd climatic class, fan assisted cooling, scope of temperature inside the device: +2°C ÷ +10°C (at the ambient temperature of +25°C and relative humidity 60%), ambient operating temperature range: +16°C ÷ +32°C	•	•	•
2	Plug-in unit	•	•	•
3	Adjustable legs	•	•	•
4	Vent grid lockable with magnet	•	•	•
5	Main internal frame in refrigerating area made of stainless steel	•	•	•
6	Electronic temperature controller with display, setting range: +1°C ÷ +13°C	•	•	•
7	Sides made of double tempered, combined low-E glass	•	•	-
8	Set of stainless steel adjustable shelves with supports display/modules of width of 125/133 cm (4 pcs.) / of the width of 188/196 cm (8 pcs.)**	•	•	-
9	Front finish of device made of stainless steel, powder painted steel or made of furniture board	•	•	-
10	Shelves with limiters and shelf edge strips	•	•	-
11	Plinth made of steel painted in RAL 9005 Jet black, RAL 7004 Signal grey or RAL 9003 Signal white	•	•	-
12	Condensate drain into the container	•	•	-
13	Sides frames made of stainless steel	•	•	-
14	Perforated night blind with blockade and slow-rise system	•	•	-
15	Interior of the exposition made of stainless steel (bottom, shelves, back wall, supports)	•	•	-
16	LED lighting adapted to products (meat or dairy)	•	•	-
17	The device is adapted to be connected in longer series lines	•	•	-
18	Glazed sliding door	-	•	-
19	Non-refrigerated exposition space on top	-	-	•
20	Housing painted in colour RAL 7021 matt or in colour chosen from the RAPA colour chart	-	-	•
21	Set of shelves in the colour of housing with shelf edge strips	-	-	•
22	Top LED light - cold white (CW)	-	-	•
23	Ecological R-290 refrigerant	-	-	•
24	Sides of tempered glass	-	-	•

\* - in standard without sides of double tempered, combined low-E glass

\*\* - possibility of exchange for crossbars with hooks

## ADDITIONAL EQUIPMENT AND ACCESSORIES FOR MULTIDECK REFRIGERATED DISPLAYS

ADDITIONAL EQUIPMENT		
No.	description	price [EUR]
<b>Refrigerating unit</b>		
1	Device without aggregate of the width of 125/133 cm	-222
2	Device without aggregate of the width of 188/196 cm	-265
3	Protection of the evaporator with a preservative coating	89
4	Thermostatic expansion valve R404a / R452a <sup>1</sup>	98
<b>Housing</b>		
1	Set of 4 pcs. of rotary wheels (2 with brake) – POS-A	60
2	Set of 4 wheels with regulated foot	147
3	Set of adjustable acid-resistant steel legs (with the range regulation of 87 ÷ 97mm) for multideck refrigerated display/modules of the width of 125/133 cm (4 pcs.)	67
4	Set of adjustable acid-resistant steel legs (with the range regulation of 87 ÷ 97mm) for multideck refrigerated display/modules of the width of 188/196 cm (6 pcs.)	101
5	Painting of sides frames in colour from the RAPA colour chart	94
6	Painting of sides frames in individual RAL colour chosen by customer	94
7	Painting of device in individual RAL colour chosen by customer – POS-A	89
8	Painting of plinth in colour chosen from the RAPA colour chart	43
9	Painting of plinth in individual colour chosen by customer	52
<b>Exposition</b>		
1	Powder-painting of exposition interior in RAL colour chosen from the RAPA colour chart of the multideck refrigerated displays modules of the width of 125/133 cm	58
2	Powder-painting of exposition interior in RAL colour chosen from the RAPA colour chart of multideck refrigerated displays/modules of the width of 188/196 cm	107
3	Powder-painting of exposition interior in individual RAL colour chosen by customer of the multideck refrigerated displays modules of the width of 125/133 cm	73
4	Powder-painting of exposition interior in individual RAL colour chosen by customer of multideck refrigerated displays/modules of the width of 188/196 cm	123
5	LED lighting of each shelf (3 pcs) - cold white (CW) – POS-A	82
5	LED lighting of each shelf (4 pcs) - cold white (CW) – RCh-O, RCh-SR of the width of 125/133 cm and 188/196 cm	229   297
ACCESSORIES		
1	Pollen filter (reusable)	24
2	Shelf edge strip	3
3	Shelf edge strip - POS-A	4
4	Crossbar with "spitz" type hooks - for multideck refrigerated displays/modules of the width of 125/133 cm (made of acid-resistant steel, includes 9 pcs. of hooks, 1 pc. of crossbar per level)	89
5	Crossbar with "spitz" type hooks - for multideck refrigerated displays/modules of the width of 188/196 cm (made of acid-resistant steel, includes 7 pcs. of hooks, 2 pcs. of crossbars per level) - price per 1 pc.	70
6	Crossbar with "S" type hooks - for multideck refrigerated displays/modules of the width of 125/133 cm (made of acid-resistant steel, includes 9 pcs. of adjustable hooks, 1 pc. of crossbar per level)	89
7	Crossbar with "S" type hooks - for multideck refrigerated displays/modules of the width of 188/196 cm (made of acid-resistant steel, includes 7 pcs. of adjustable hooks, 2 pcs. of crossbars per level) - price per 1 pc.	70
8	Stainless steel shelf for multideck refrigerated display/module of the width of 125/133 cm (without supports)	83
9	Stainless steel shelf for multideck refrigerated display/module of the width of 188/196 cm	60
10	USB temperature recorder (wireless)	137
11	Stainless steel support for shelves	13

<sup>1</sup> valve for other factors – availability and price upon agreement

Additional charge for module	
Set of 2 sides made of double tempered, combined glass	537



## FLOWER REFRIGERATORS

No.	width [mm]	model	model	pojemność ekspozycji [m <sup>3</sup> ]
		SCh-AK	SCh-AKM	
		price [EUR]	price [EUR]	
1	1205	2 549	2 691	0,98
2	1405	2 863	3 005	1,16
3	1605	3 251	3 393	1,35
4	1805	3 610	3 752	1,54
5	2005	3 973	4 115	1,72
6	2205	4 335	4 477	1,91

### Standard equipment

		SCh-AK	SCh-AKM
1	3rd climatic class - gravitational cooling	●	●
2	Plug-in unit powered with ecological R-290 refrigerant	●	●
3	The whole construction made of grinded stainless steel	●	●
4	Bottom of the storage chamber made of "linen" stainless steel	●	●
5	Glazed sliding door with blockade for loading, self-closing	●	●
6	Electronic temperature controller with display	●	●
7	Adjustable legs made of stainless steel - leg height: 50 ÷ 110 mm	●	●
8	LED lighting - four-sided + top	●	●
9	Decorative flower pattern on the housing	●	●
10	Flower stools (2 pcs.) made of „linen” stainless steel, standard (40 cm) - possibility to switch to low stool (20 cm) or enlarged (60 cm)	●	●
11	Crossbar to hang compositions of cut flowers	●	●
12	Automatic condensate evaporation system	●	●
13	Panoramic front glass pane	●	●
14	Device glazed from four sides - all panes made of combined, double tempered glass (low-E)	●	●
15	Adaptation of the device for levels of the regulated shelves on runners	-	●

## ADDITIONAL EQUIPMENT FOR FLOWER REFRIGERATORS AND ACCESSORIES

ADDITIONAL EQUIPMENT			
No.	description		price [EUR]
<b>Refrigerating unit</b>			
1	Device without aggregate	AK 1205-1605	-239
2		AK 1805-2205	-337
3	Protection of the evaporator with a preservative coatinga		89
4	Thermostatic expansion valve R404a / R452a <sup>1</sup>		98
<b>Housing</b>			
1	Set of 4 wheels with regulated foot		147
2	Painting of device in colour from the RAPA colour chart	AK 1205-1805	239
3		AK 2005-2205	335
4		AKM 1205-1805	284
5		AKM 2005-2205	380
10		Exchange of the side glass for pane with internal mirror	
11	Exchange of the panoramic glass for pane with internal mirror	AK 1205	154
12		AK 1405	187
13		AK 1605	216
14		AK 1805	243
15		AK 2005	272
16		AK 2205	302
17	Sliding door lock		33
18	Sliding door lock (2 pcs.)		66
<b>ACCESSORIES</b>			
1	Pollen filter (reusable)		24
2	Flower stool (1 pcs.) made of „linen” stainless steel, height to choose from: 20, 40 or 60 cm		60
3	Painting of flower stool (1 szt.), height to choose from: 20, 40 or 60 cm		60
4	Adjustable hanged shelf made of "linen" stainless steel (price per m)		70
5	Painting of adjustable hanged shelf in colour from the RAPA colour chart		46
6	1 level of the regulated shelves on runners made of "linen" stainless steel (SCh-AKM)	AKM 1205	69
		AKM 1405	81
		AKM 1605	93
		AKM 1805	105
		AKM 2005	117
		AKM 2205	129
7	Painting of 1 level of the regulated shelves on runners in colour from the RAPA colour chart		92
8	USB temperature recorder		137

<sup>1</sup> valve for other factors – availability and price upon agreement

## REFRIGERATED FLOWER COUNTER

No.	length [cm]	model
		L-BK
		price [EUR]
1	82	1 965
2	118	2 407
3	145	2 753

### Standard equipment

1	3rd climatic class - Fan assisted cooling scope of temperature inside the device: +4°C ÷ +10°C (at the ambient temperature of +25°C and relative humidity 60%), ambient operating temperature range: +16°C ÷ +32°C	•
2	Plug-in unit powered with ecological R-290 refrigerant	•
3	Electronic temperature controller with display	•
4	Divided bottom of the exposition made of stainless steel, pulled out segments	•
5	2, 3 or 4 pcs. of price panels placed on the front of the device	•
6	Cascade exposition made of grinded stainless steel	•
7	Housing and exposition painted in colour chosen from the RAPA colour chart	•
8	Set of 4 rotary wheels (2 with breaks)	•
9	Condensate drain into the container	•
10	Cover made of „super mirror“ acid-resistant steel	•
11	Folding device cover for safe transport or for night	•
12	All panes made of tempered glass	•
13	Device depending on size allows free placement of 6, 9 or 12 pcs. of containers with diameter of 27 cm	•

\* Flower containers are not part of the device

ADDITIONAL EQUIPMENT		
No.	description	price [EUR]
<b>Refrigerating unit</b>		
1	Thermostatic expansion valve R404a / R452a <sup>1</sup>	98
<b>Housing</b>		
2	Painting of housing in individual RAL colour chosen by the customer	81
ACCESSORIES		
1	Pollen filter (reusable)	24
2	USB temperature recorder (wireless)	137

<sup>1</sup> valve for other factors - availability and price upon agreement

## CONFECTIONERY DISPLAY CASES - REFRIGERATED line A and B

No.	length / depth [cm]	model		Additional charge for decor beyond the RAPA colour chart
		C-A	C-B	
		price [EUR]		
1	102 / 89	2 452	2 273	84
2	139 / 89	2 537	2 384	

## CONFECTIONERY DISPLAY CASES - NEUTRAL line A and B

No.	length / depth [cm]	model		Additional charge for decor beyond the RAPA colour chart
		C-AN	C-BN	
		price [EUR]		
1	102 / 89	1 839	1 678	84
2	139 / 89	1 937	1 777	

### Standard equipment

No.		C-A	C-B	C-AN	C-BN
1	All glass panes, worktop and shelves tempered	•	•	•	•
2	Sliding door made of combined, panes	•	•	•	•
3	Housing colour: RAL 9003 Signal white, RAL 9006 White aluminium, 1000/0019 Gold metallic, RAL 9005 Jet black	•	•	•	•
4	LED lighting of each shelf and worktop	•	•	•	•
5	Backlighting bottom of the device	•	•	•	•
6	Air curtain – eliminating losses when opening the door	•	•	-	-
7	Automatic condensate evaporation system	•	•	-	-
8	Backlighting bottom plafond of the device	-	•	-	-
9	Pollen filter	•	•	-	-
10	Front glass pane curved, tilted with blockade	-	•	-	•
11	Front glass pane flat, vertical, tilted with wire tensioner	•	-	•	-
12	Fan assisted cooling	•	•	-	-

## NEUTRAL CASH COUNTERS FOR CONFECTIONERY DISPLAY CASES line A and B

No.	length / depth [cm]	model		Additional charge for decor beyond the RAPA colour chart
		LK-CA / LK-CB		
		price [EUR]		
1	90 / 89	764		84

## CONFECTIONERY DISPLAY CASES - REFRIGERATED line EXCELLENTE C

No.	length / depth [cm]	model				Additional charge for decor beyond the RAPA colour chartr
		C-C	C-C module to be joinded in series line	C-C L	C-C L moduł do łączenia w ciągi	
		price [EUR]				
1	100 / 79,5	2 769	2 605	2 680	2 516	84
2	137 / 79,5	3 289	3 125	3 200	3 036	

## CONFECTIONERY DISPLAY CASE - NEUTRAL line EXCELLENTE C

No.	length / depth [cm]	model	Additional charge for decor beyond the RAPA colour chartr
		C-C LN	
		price [EUR]	
1	100 / 78	1 781	84

### Standard equipment

No		C-C	C-C L	C-C LN
1	Sides of the device made of lacquered MDF board black or white	•	•	•
2	Front covered with lacquered MDF board or of furniture board - decor to be chosen from the RAPA chart	•	•	•
3	Freestanding device with possibility to connect it in longer series lines	•	•	-
4	Adjustable legs	•	•	•
5	Plug-in unit powered with ecological R-290 refrigerant	•	•	-
6	Fan assisted cooling	•	•	-
7	Pollen filter	•	•	-
8	Double electric socket	-	-	•
9	Automatic condensate evaporation system	•	•	
10	Vertical and top LED lighting	•	•	-
11	Vertical LED lighting	-	-	•
12	Worktop surface made of black furniture board joined with exposition shelf	-	-	•
13	Tempered glass shelves (3 pcs.) - adjustable every 5 cm	•	-	-
14	Tempered glass shelves (2 pcs.) - adjustable every 5 cm		•	
15	Drawers from service side made of black or white- furniture board - 2 pcs.	-	-	•
16	Front glass pane, flat, opened up	-	-	•
17	Front glass pane, flat, tilted - lift-up gas springs	•	•	-
18	External glass panes and door - combined, low-E	•	•	-
19	Retractable display bottom made of stainless steel	-	-	•

\* Possibility of setting the same models in lines

## NEUTRAL CASH COUNTERS FOR CONFECTIONERY DISPLAY CASES line EXCELLENTE C

No.	length / depth [cm]	model	Additional charge for decor beyond the RAPA colour chart
		LK-CC 90b	
		price [EUR]	
1	90 / 78	704	84

## ADDITIONAL EQUIPMENT AND ACCESSORIES FOR CONFECTIONERY DISPLAY CASES

ADDITIONAL EQUIPMENT		
No.	description	price [EUR]
	<b>Refrigerating unit</b>	
1	Device without aggregate	-133
2	Thermostatic expansion valve R404a / R452a <sup>1</sup>	98
	<b>Housing</b>	
1	Double electric socket	33
2	Order and moutage of additional double electric socket - refers to C LN	33
3	Decor beyond the RAPA colour chart	84
4	Set of 4 wheels with regulated foot	147
5	Built-in device (without sides and front)	-63

ACCESSORIES		
No.	description	price [EUR]
1	USB temperature recorder (wireless)	137

ADDITIONAL CHARGE FOR MODULE		
No.	description	price [EUR]
1	Set of 2 sides with side glass panes - refers to C i C L	227
2	Partitor between modules witch connecting confectionery line - refers to C i C L	55

<sup>1</sup> valve for other factors - availability and price upon agreement

## SHOP SHELVING

line C

No.	width / depth [cm]	RP-C
		price [EUR]
1	150 / 50	631

### Standard equipment

No.		RP-C
1	Sides and structure made of steel profiles painted in colour RAL 9005 Jet black - semi-mat	•
2	Standard, leaning shelf with limiters made of grinded stainless steel - 4 pcs.; 1 pc. of bottom horizontal shelf	•

ADDITIONAL EQUIPMENT		
No.	description	price [EUR]
1	Set of 4 pcs. of rotary wheels (2 with brake)	60

## BAKERY SHELVING

AND MODULES DESIGNED TO BE JOINED IN SERIES LINES line A and B

No.	width [cm]	RP-A/ RP-B freestanding models models with painted front	
		depth 80 cm	depth 100 cm
		price [EUR]	price [EUR]
1	64	552	598
2	86	636	684
3	106	717	772
4	126	799	860
5	144	884	949
6	168	959	1 035
7	184	1 045	1 123
8	208	1 124	1 211

No.	width [cm]	MODULE RP-A / RP-B designed to be joined in series lines models with painted front	
		depth 80 cm	depth 100 cm
		price [EUR]	price [EUR]
1	60	484	530
2	82	569	617
3	102	649	705
4	122	731	793
5	140	817	882
6	164	892	967
7	180	977	1 055
8	204	1 057	1 143

Additional charge for modules	price [EUR]	price [EUR]
Set of sides	84	104

ADDITIONAL EQUIPMENT		
No.	description	price [EUR]
1	Decor beyond the RAPA colour chart	for individual valuation
2	Set of 4 pcs. of rotary wheels (2 with brake)	60
3	Cover of bottom shelf with blockade	width of 60-86 cm
4		width of 102-144 cm
5		width of 164-208 cm
6	Partitions in the bottom shelf made of furniture board (pcs.)	27
7	Sliding covers of PET for 1 shelf (instead of limiters)	width of 60-86 cm
8		width of 102-144 cm
9		width of 164-208 cm

Standard equipment

No.		RP-A	RP-B
1	Curved sides made of furniture board in one of the decors chosen from the RAPA chart	-	•
2	Straight sides made of furniture board in one of the decors chosen from the RAPA chart	•	-
3	Shelf edge strips	•	•
4	Top mirrors	•	•
5	Possibility of connecting in series lines	•	•
6	LED lighting of each shelf of neutral colour	•	•
7	Shelves made of beech wood	•	•
8	Front finish of device made of powder-painted steel	•	•
9	Sliding tray for tailings made of stainless steel	•	•

The decor of the laminated boards to be chosen from the RAPA chart.  
It can be carried through the door of the width up to 100 cm.



No.	width [cm]	RP-A1/ RP-B1 freestanding models models with furniture board front	
		depth 80 cm	depth 100 cm
		price [EUR]	price [EUR]
1	64	552	598
2	86	636	684
3	106	717	772
4	126	799	860
5	144	884	949
6	168	959	1 035
7	184	1 045	1 123
8	208	1 124	1 211

No.	width [cm]	MODULE RP-A1 / RP-B1 designed to be joined in series lines models with furniture board front	
		depth 80 cm	depth 100 cm
		price [EUR]	price [EUR]
1	60	484	530
2	82	569	617
3	102	649	705
4	122	731	793
5	140	817	882
6	164	892	967
7	180	977	1 055
8	204	1 057	1 143

Additional charge for modules	price [EUR]	price [EUR]
Set of sides	84	104

ADDITIONAL EQUIPMENT		
No.	description	price [EUR]
1	Decor beyond the RAPA colour chart	for individual valuation
2	Set of 4 pcs. of rotary wheels (2 with brake)	60
3	Cover of bottom shelf with blockade	width of 60-86 cm
4		width of 102-144 cm
5		width of 164-208 cm
6	Partitions in the bottom shelf made of furniture board (pcs.)	27
7	Sliding covers of PET for 1 shelf (instead of limiters)	width of 60-86 cm
8		width of 102-144 cm
9		width of 164-208 cm
10	Upper front finish made of furniture board Yosemite S016 or Oak Charlestone H3154 (price per m)	60
11	Lower front finish made of furniture board Yosemite S016 or Oak Charlestone H3154 (price per m)	30
12	Drawer front finish made of furniture board Yosemite S016 or Oak Charlestone H3154 (price per m.)	30
13	Sides front finish made of furniture board Yosemite S016 or Oak Charlestone H3154	273

Standard equipment

No.		RP-A1	RP-B1
1	Curved sides made of furniture board	-	●
2	Straight sides made of furniture board	●	-
3	Shelf edge strips	●	●
4	Top mirrors	●	●
5	Possibility of connecting in series lines	●	●
6	LED lighting of each shelf of neutral colour	●	●
7	Shelves made of beech wood	●	●
8	Front finish of device made of furniture board	●	●
9	Sliding drawer for tailings made of furniture board	●	●

The decor of the laminated boards to be chosen from the RAPA chart. It can be carried through the door of the width up to 100 cm.

## VEGETABLE SHELVING

### AND MODULES DESIGNED TO BE JOINED IN SERIES LINES line A and B

No.	width / depth [cm]	RW-A / RW-B freestanding models
		price [EUR]
1	45 / 100	441
2	86 / 100	593
3	126 / 100	743
4	168 / 100	895
5	208 / 100	1 047

No.	width / depth [cm]	Modules RW-A / RW-B designed to be joined in series lines
		price [EUR]
1	41 / 100	364
2	82 / 100	516
3	122 / 100	666
4	164 / 100	818
5	204 / 100	970

ADDITIONAL EQUIPMENT			
No.	description	price [EUR]	
1	Set of 4 pcs. of rotary wheels (2 with brake)	60	
2	Sliding covers of PET for 1 shelf (instead of limiters)	width of 41-86 cm	34
3		width of 122-126 cm	45
4		width of 164-208 cm	55

Additional charge for modules	
Set of sides for device of the depth of 100 cm	99

#### Standard equipment

No.		RW-A	RW-B
1	Curved sides made of furniture board in one of the decors chosen from the RAPA chart	-	•
2	Straight sides made of furniture board in one of the decors chosen from the RAPA chart	•	-
3	Shelf edge strips	•	•
4	Top mirrors	•	•
5	Possibility of connecting in series lines	•	•
6	LED lighting of each shelf of neutral colour	•	•
7	Shelves made of beech wood	•	•
8	Shelves adapted to containers of the dimensions of 60 x 40 cm	•	•
9	Sliding tray for tailings made of stainless steel	•	•

The decor of the laminated boards to be chosen from the RAPA chart.  
It can be carried through the door of the width up to 100 cm.

## STAINLESS STEEL TABLES

No.	length [mm]	SG-P		SG-Z		SG-ZR	
		depth 600 mm	depth 700 mm	depth 600 mm	depth 700 mm	depth 600 mm	depth 700 mm
		cena					
1	1000	389	427	742	816	653	719
2	1100	416	458	795	875	702	773
3	1200	443	488	850	935	750	825
4	1300	470	517	905	995	799	878
5	1400	498	548	959	1 055	847	932
6	1500	526	578	-	-	-	-

ADDITIONAL EQUIPMENT		
No.	description	price [EUR]
1	Stainless steel shelf AISI 304 (price per m.)	40
2	Left rim (price per m.)	20
3	Right rim (price per m.)	20

### Standard equipment

No.		SG-P	SG-Z	SG-ZR
1	AISI 304 stainless steel table	●	●	●
2	Regulated feet -5/+15 mm	●	●	●
3	Table legs made of 1,5x50x50mm stainless steel AISI 304 profile	●	●	●
4	Worktop finished with back rim or extra side rims	●	●	●
5	Housing without shelves, with one or two shelves	●	-	-
6	Housing with one or two shelves	-	●	●
7	Steel, hinged door	-	●	-
8	Steel, sliding door	-	-	●

RAPA company reserves the right to change the price list.

All prices are net prices to which VAT should be added  
in accordance with applicable law.

This price list is informative and does not constitute an offer.

„RAPA” S. Międlar, W. i I. Szymańscy sp. j.  
9, Ceramiczna Street 20-149 Lublin, Poland  
+48 81 718 46 51  
rapa@rapa.lublin.pl