





Temperature range: +5°C/+15°C

Refrigerating unit: Internal

Refrigerant/Cooling factor: R134a / R290

Specifications	CUBE 0.6W 3P	CUBE 0.9W 3P	CUBE 1.3W 3P
CODE	CU103.3	CU102.3	CU101.3
Length [mm]	610	910	1310
Capacity [dm3]	362	546	791
The area of shelves [m2]	1,14	1,74	2,55
Depth [mm]	835	835	835
Side panel thickness [mm]	40	40	40
Height [mm]	1380+/-10	1380+/-10	1380+/-10
Refrigerant	R134a R290	R134a R290	R134a R290
Evaporating temperature [°C]	-10	-10	-10
Rated voltage [V]	230/50Hz	230/50Hz	230/50Hz
Rated power of lighting [W]	36	68	88
Rated power [W]	378	527	789
Cooling power [W]	369	464	792
Electricity consumption [kWh/24h]	5,6	7,7	11,4

## Standard equipment

internal cooling aggregate

device prepared for multiplexing

dynamic cooling (ventilated)

external housing made of black coated steel

side panels made of black coated steel

wooden melamine front panel - different colors available (IGLOO pattern book)

glass side panels or combined glass divider for multiplexable devices

ecological polyurethane foam insulation

internal frame painted silver or gold (IGLOO pattern book)

internal and external back of the device made of gold or silver painted steel (IGLOO pattern book)

3 pcs of glass exposition shelves with height and angle adjustment placed on the frame

wooden bottom internal melamine shelf - different colors available (IGLOO pattern book)

openable front glass with bending radius R20



upper interior lighting + additional illumination of each shelf - LED lights (confectionery color)

automatic defrost

automatic condenser vaporization

electronic temperature controller with digital display

condenser impurity or fan operation failure alarm

## **Options**

device without side panels prepared for multiplexing (MOD/A)

side panels made of colored coated steel - different colors available (IGLOO pattern book)

stainless steel or mirror strip on wooden front panel (60 mm)

wooden front panel made of veneer or TREND - different colors available (IGLOO pattern book)

front panel with color-coated sheet - selectable color (IGLOO color guide)

internal back of device made of stainless steel

internal frame made of stainless steel for 0.6 model

internal frame made of stainless steel for 0.9 model

internal frame made of stainless steel for 1.3 model

bottom shelf made of stainless steel

electronic temperature recorder + software

recorder cable

small tray (400mm x 340mm)

small tray (400mm x 420mm)

medium tray (400mm x 510mm)

bottom tray (400mm x 520mm)

set of wheels (castors)





